




## Homocysteine

Homocysteine is a compound formed in the body during the metabolism of protein. The normal range for total homocysteine is generally felt to be 5-15 micromol. This can be measured by a blood test (preferably a fasting blood specimen). The cause of elevated homocysteine may be genetic, due to other co-existing medical conditions such as renal failure and certain cancers, or due to low dietary intake of vitamins B<sub>6</sub>, B<sub>12</sub> and folate.



Recent medical information has suggested that elevated levels of homocysteine in the blood is a risk factor for premature vascular disease. Specifically, a number of medical studies have shown a relationship between homocysteine and coronary artery disease, cerebrovascular disease (i.e. stroke), peripheral vascular disease, and venous thrombosis (i.e. clotting in the leg veins). For example, one study of U.S. physicians found that those with homocysteine levels over 15.8 micromol had a 3.4 fold increased risk of heart attack. Another recent study found that healthy post menopausal women with homocysteine levels over 13.3 micromol had a 2 fold increased risk of any cardiovascular event.

Treatment for elevated homocysteine levels in those with a high risk of cardiovascular disease is typically with vitamins, either vitamin B<sub>12</sub> replacement (if B<sub>12</sub> levels are low) or folic acid supplements. Vitamin B<sub>6</sub> supplementation is also being considered. Because this is relatively new, no studies are presently available that prove that treatment will prevent cardiovascular disease.

For life underwriting considerations, an elevated homocysteine level in isolation of other cardiac risk factors or known vascular disease will be non-rated. If an applicant has known vascular disease such as coronary artery disease (CAD) and persistently elevated homocysteine greater than 15 micromol, an increased rating of one table will be added to the CAD rating.

For "Ask Rx pert" questionnaire, please see the Rx of the co-existing vascular disease such as Heart Attack (Rx #14), Stroke (Rx #74), or Peripheral Vascular Disease (Rx#80), etc.

*This material is intended for insurance informational purposes only and is not personal medical advice for clients.*

This marketing material includes an expiration date and use of this material must be discontinued as of the expiration date.  
**FOR INTERNAL USE ONLY. NOT FOR USE WITH THE PUBLIC**

©2004 The Prudential Insurance Company  
of America  
751 Broad Street, Newark, NJ 07102-3777  
Rx083 IFS-A045836 Ed. 10/03 Exp. 10/05

**Prudential**  **Financial**